

Work Order ID 61486

Thursday, August 26, 2010 2:52:08 PM



Page 1

Item ID: D412-702-345

Accept



Setup Start



Revision ID:

Stop



Item Name: 4-Man Aft Facing Shoulder Harness, 3 point

Start Date: 8/26/2010 Start Qty: 1.00



Cust Item ID:

Required Date: 8/27/2010 Req'd Qty: 1.00



Customer:

Reference:

Approvals: Process Plan: mf Date: 10-8-26 Tooling:

Date:

Run Start



QC: Date: SPC (Y/N):

Date:

Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
DSI9511	A

100

0.00



DOCUMENT CONTROL

DC

Memo

0.00

Document Control

Photocopy bluefile & type labels per PPP D412-702-345 CHG001

S 10/06/07

JG for BG 10-8-27

110

0.00



Pick Kit

Packaging

Memo

0.00

Packaging

C 10/27 (1)

120

0.00



QC4- 100% Inspect kits for completeness

QC

Memo

0.00

Quality Control

S 10/06/07

(40)

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 61486

Thursday, August 26, 2010 2:52:08 PM

Page 2

Item ID: D412-702-345

Accept

Revision ID:

Item Name: 4-Man Aft Facing Shoulder Harness, 3 point

Start Date: 8/26/2010 Start Qty: 1.00

Required Date: 8/27/2010 Req'd Qty: 1.00

Reference:

Cust Item ID:



Customer:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start

Stop

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130  Packaging	Packaging	0.00							
	Memo Identify and pack for shipping as per PPP D412-702-345 Location: _____ PPP Rev: _____ <i>A</i>	0.00							<i>Supp 27 (1)</i>
140  QC	QC21- Final Inspection - Work Order Release	0.00							
Quality Control	Memo	0.00							<i>10/08/27 AJ</i> <i>10-8-27 (1)</i>

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Thursday, August 26, 2010 2:52:08 PM

Page 1

Work Order ID: 61486

Parent Item: D412-702-345

Parent Item Name: 4-Man Aft Facing Shoulder Harness, 3 point

Start Date: 8/26/2010

Required Date: 8/27/2010

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev:A new issue DD 10.04.30 verified:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
S D412-702-311 Harness Assembly		Manufactured	No			110	Each	0.0000	1	1			
S D412-702-313 Harness Assembly		Manufactured	No			110	Each	0.0000	1	1			
S D412-702-321 Harness Assembly		Manufactured	No			110	Each	0.0000	1	1			
S D412-702-323 Harness Assembly		Manufactured	No			110	Each	0.0000	1	1			
S D3572-041 Guide Assembly		Manufactured	No			110	Each	8.0000	2	2			

Location

ST260

58451

59305

Loc Qty

8

1

7

Loc Code

59305

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Thursday, August 26, 2010 2:52:08 PM

Page 2

Work Order ID: 61486

Parent Item: D412-702-345

Parent Item Name: 4-Man Aft Facing Shoulder Harness, 3 point

Start Date: 8/26/2010

Required Date: 8/27/2010

Start Qty: 1.00

Required Qty: 1.00

AN4-16A

Purchased

No

110

Each

202.0000

2

2

Bolt

Location

Loc Qty

Loc Code

ST

105

115374

105

ST358

97

115016

47

115159

50

ST360

105

m/15016

AN4-25A

Purchased

No

110

Each

78.0000

4

4

BOLT

Location

Loc Qty

Loc Code

ST360

78

111605

28

114330

50

111605

AN4-27A

Purchased

No

110

Each

48.0000

4

4

Bolt

Location

Loc Qty

Loc Code

ST360

48

114752

48

114752

AN9601D416

NAS1149D0463J

Purchased

No

110

Each

0.0000

20

20

Washer

m/15000

8/27/10

Thursday, August 26, 2010 2:52:08 PM

Shop Packet Print

Page 2

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Thursday, August 26, 2010 2:52:08 PM

Page 3

Work Order ID: 61486



Parent Item: D412-702-345



Parent Item Name: 4-Man Aft Facing Shoulder Harness, 3 point

Start Date: 8/26/2010

Required Date: 8/27/2010

Start Qty: 1.00

Required Qty: 1.00

MS21042L4

Purchased

No

110

Each

2,596.000

6

.6

✓



Nut



PC 10/4/2010 ①

Location

Loc Qty

Loc Code

ST300

2596

113422

68

114523

28

114718

16

114784

564

115108

1920

1114784

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART SERVICE INSTRUCTION

TO AMEND INSTALLATION INSTRUCTIONS IIN-D412-702 REV. E AND
INSTRUCTIONS FOR CONTINUED AIRWORTHINESS ICA-D412-702 REV. 3

REF TCCA STC SH04-7
REF FAA STC SR01997NY
REF EASA STC EASA.I.M.R.S.00710

REFERENCE ONLY

This service instruction adds several kits equipped with improved inertia reels:

The Dart **D412-702-341** 13-Man Shoulder Harness Kit provides 3-point harnesses with inertia reels and joined lap and shoulder belts for all 13 passenger seating positions in the aircraft cabin. The kit also contains hardpoints for securing the harnesses. The harnesses for this kit meet the requirements of TSO-C114 and replace the existing lap belts. This kit should be installed similar to the D412-702-041B kit, as detailed in Table 1 of this service instruction.

The Dart **D412-702-343** 5-Man Forward Facing Shoulder Harness Kit provides 3-point harnesses with inertia reels and joined lap and shoulder belts for the 5 forward facing seating positions in the aircraft cabin. The kit also contains hardpoints for securing the harnesses. The harnesses for this kit meet the requirements of TSO-C114 and replace the existing lap belts. This kit should be installed similar to the D412-702-043B kit, as detailed in Table 1 of this service instruction.

The Dart **D412-702-345** 4-Man Shoulder Harness Kit provides 3-point harnesses with inertia reels and joined lap and shoulder belts for the 4 aft facing seating positions in the aircraft cabin. The kit also contains hardpoints for securing the harnesses. The harnesses for this kit meet the requirements of TSO-C114 and replace the existing lap belts. This kit should be installed similar to the D412-702-045B kit, as detailed in Table 1 of this service instruction.

The Dart **D412-702-347** 4-Man Shoulder Harness Kit provides 3-point harnesses with inertia reels and joined lap and shoulder belts for the 4 side facing seating positions in the aircraft cabin. The kit also contains hardpoints for securing the harnesses. The harnesses for this kit meet the requirements of TSO-C114 and replace the existing lap belts. This kit should be installed similar to the D412-702-047B kit, as detailed in Table 1 of this service instruction.

The Dart **D412-702-349** 1-Man Shoulder Harness Kit provides a 3-point harness with an inertia reel and joined lap and shoulder belts for the center forward facing seating position in the aircraft cabin. The kit also contains hardpoints for securing the harness. The harness for this kit meets the requirements of TSO-C114 and replaces the existing lap belts. This kit should be installed similar to the D412-702-049B kit, as detailed in Table 1 of this service instruction.

The Dart **D412-702-351** 1-man 3-point shoulder harness kits are available for the outboard seats of the 5-man forward facing bench in Bell 205/212/214/412 model aircraft. The kit can be installed LH or RH. These kits should be installed similar to the D412-702-051B/-052B kits, as detailed in Table 1 of this service instruction.

The Dart **D214-702-337** 5-Man Aft Facing Shoulder Harness Kit provides 3-point harnesses with inertial reels and joined lap and shoulder belts for the 5-man aft facing seat installed in the Bell 214B/B1 model aircraft. This kit should be installed similar to the D214-702-037B kit, as detailed in Table 1 of this service instruction.

The Dart **D205-702-353** 4-Man Aft Facing Shoulder Harness Kit provides 3-point harnesses with inertial reels and joined lap and shoulder harnesses for the 4-man aft facing seat installed in the UH-1 model aircraft. This kit should be installed similar to the D205-702-053B kit, as detailed in Table 1 of this service instruction.

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: 
D. SHEPHERD (DE # 02)

DATE: 10.03.22
CERT. NO.: SH04-7
ISSUE NO.: 3

A	NEW ISSUE	CP	10.03.18
REV.	DESCRIPTION		BY DATE
DESIGN	qp	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	qp		
CHECKED	h	DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9511	SHEET 1 OF 6
APPROVED	NO	TITLE	SCALE
DE APPR.	h	NEW SHOULDER HARNESS KITS	NTS
DATE	10.03.18	COPYRIGHT © 2010 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

INSTALLATION

The Dart D412-702-3XX kits should be installed similar to the kits in Installation Instructions IIN-D412-702 Rev. E or Dart Service Instruction (DSI) listed below:

REFERENCE ONLY**TABLE 1**

Part Number	Description	Install similar to:
D412-702-341	Shoulder Harness Kit	D412-702-041B (IIN-D412-702, DSI 9408)
D412-702-343	Shoulder Harness Kit	D412-702-043B (IIN-D412-702, DSI 9453 [214], DSI 9408)
D412-702-345	Shoulder Harness Kit	D412-702-045B (IIN-D412-702, DSI 9469)
D412-702-347	Shoulder Harness Kit	D412-702-047B (IIN-D412-702, DSI 9408)
D412-702-349	Shoulder Harness Kit	D412-702-049B (IIN-D412-702, DSI 9408)
D412-702-351	Shoulder Harness Kit	D412-702-051B (LH) (DSI 9397, DSI 9408) D412-702-052B (RH) (DSI 9397, DSI 9408)
D214-702-337	Shoulder Harness Kit	D214-702-037B (DSI 9454)
D205-702-353	Shoulder Harness Kit	D205-702-053B (DSI 9460)
D412-702-301	Harness Assembly	D412-702-101B (IIN-D412-702)
D412-702-303	Harness Assembly	D412-702-103B (IIN-D412-702)
D412-702-305	Harness Assembly	D412-702-105B (IIN-D412-702)
D412-702-307	Harness Assembly	D412-702-107B (IIN-D412-702)
D412-702-309	Harness Assembly	D412-702-109B (IIN-D412-702)
D412-702-311	Harness Assembly	D412-702-111B (IIN-D412-702)
D412-702-313	Harness Assembly	D412-702-113B (IIN-D412-702)
D412-702-315	Harness Assembly	D412-702-115B (IIN-D412-702)
D412-702-317	Harness Assembly	D412-702-117B (IIN-D412-702)
D412-702-319	Harness Assembly	D412-702-119B (DSI 9454)
D412-702-321	Harness Assembly	D412-702-121B (DSI 9454, DSI 9469)
D412-702-323	Harness Assembly	D412-702-123B (DSI 9454, DSI 9469)

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: 
D. SHEPHERD (DE # 02)

DATE: 10.03.22
CERT. NO.: SH04-7
ISSUE NO.: 3

DESIGN	99	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
DRAWN	99	
CHECKED	99	DRAWING NO. REV. A
MFG. APPR.	N/A	DSI 9511 SHEET 2 OF 6
APPROVED	140	TITLE SCALE
DE APPR.	140	NEW SHOULDER HARNESS KITS NTS
DATE	10.03.18	COPYRIGHT © 2010 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>

REFERENCE ONLY

...continued from previous page

QTY -341	QTY -343	QTY -345	QTY -347	QTY -349	QTY -351	Part Number	Description
1		1				D412-702-311 /	HARNESS ASSEMBLY (NEW)
1*		1*				D3570-1	BRACKET
1*		1*				D4088-043	SHOULDER HARNESS (NEW)
4*		4*				MS24694S50	SCREW
4*		4*				AN960JD10L	WASHER
4*		4*				MS21042L3	NUT
1		1				D412-702-313 /	HARNESS ASSEMBLY (NEW)
1*		1*				D3570-2	BRACKET
1*		1*				D4088-043	SHOULDER HARNESS (NEW)
4*		4*				MS24694S50	SCREW
4*		4*				AN960JD10L	WASHER
4*		4*				MS21042L3	NUT
1			1			D412-702-315	HARNESS ASSEMBLY (NEW)
1*			1*			D3573-5	ADAPTER
1*			1*			D4088-041	SHOULDER HARNESS (NEW)
4*			4*			MS24693S272	SCREW
4*			4*			AN960JD10LL	WASHER
4*			4*			MS21042L3	NUT
1			1			D412-702-317	HARNESS ASSEMBLY (NEW)
1*			1*			D3573-5	ADAPTER
1*			1*			D4088-041	SHOULDER HARNESS (NEW)
4*			4*			MS24693S272	SCREW
4*			4*			AN960JD10LL	WASHER
4*			4*			MS21042L3	NUT
1		1				D412-702-321	HARNESS ASSEMBLY (NEW)
1*		1*				D3570-3	BRACKET
1*		1*				D4088-043	SHOULDER HARNESS (NEW)
4*		4*				MS24694S50	BOLT
4*		4*				AN960JD10L	WASHER
4*		4*				MS21042L3	NUT
1		1				D412-702-323	HARNESS ASSEMBLY (NEW)
1*		1*				D3570-4	BRACKET
1*		1*				D4088-043	SHOULDER HARNESS (NEW)
4*		4*				MS24694S50	BOLT
4*		4*				AN960JD10L	WASHER
4*		4*				MS21042L3	NUT

* denotes that part is included in assembly above

continued next page...

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-0-01






APPROVED

BY: 
D. SHEPHERD (DE # 02)

DATE: 10.03.22

CERT. NO.: SH04-7

ISSUE NO.: 3

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9511	SHEET 4 OF 6
APPROVED		TITLE	SCALE
DE APPR.		NEW SHOULDER HARNESS KITS	
DATE	10.03.18	<small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

REFERENCE ONLY

...continued from previous page

QTY -341	QTY -343	QTY -345	QTY -347	QTY -349	QTY -351	Part Number	Description
2	2					D3542-1	BRACKET
7	3		4	1		D3571-1	GUIDE
2	2					D3571-3	GUIDE
2		2				D3572-041	GUIDE ASSEMBLY
12	6		6	2		D3578-041	DOUBLER
2	2					D3610-041	BRACKET
2	2					D3618-1	CAP
4	4					AN4-10A	BOLT
2		2				AN4-16A	BOLT
4		4				AN4-25A	BOLT
4		4				AN4-27A	BOLT (DSI 9469)
2	2					AN4-44A	BOLT
2	2					MS24693S274	SCREW
3	3			1		MS24694S56	SCREW
10	2		8			MS24694S58	SCREW
1	1			1		MS24694S60	SCREW
26	6	20				AN960JD416	WASHER
4	4					AN960JD416L	WASHER
12	6	6				MS21042L4	NUT
24	12		12	4		CR3212-4-4	RIVET

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: 
D. SHEPHERD (DE # 02)

DATE: 10.03.22
CERT. NO.: SH04-7
ISSUE NO.: 3

DESIGN	92	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
DRAWN	92	
CHECKED	1	DRAWING NO. REV. A
MFG. APPR.	N/A	DSI 9511 SHEET 5 OF 6
APPROVED	140	TITLE SCALE
DE APPR.	TH	NEW SHOULDER HARNESS KITS NTS
DATE	10.03.18	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

REFERENCIAL 8 JAN

TABLE 3

QTY -337	QTY -353	Part Number	Description
X		D214-702-337	Dart 5-Man 3 Point Aft Facing Shoulder Harness Kit, for 214 Aircraft
	X	D205-702-353	Dart 4-Man 3 Point Aft Facing Shoulder Harness Kit, for UH-1 Aircraft
1	2	D412-702-311	HARNESS ASSEMBLY (NEW) --> SEE TABLE 2
1	2	D412-702-313	HARNESS ASSEMBLY (NEW) --> SEE TABLE 2
1		D412-702-321	HARNESS ASSEMBLY (NEW) --> SEE TABLE 2
1		D412-702-323	HARNESS ASSEMBLY (NEW) --> SEE TABLE 2
1		D412-702-319	HARNESS ASSEMBLY (NEW)
1*		D3925-041	BRACKET
1*		D4088-043	SHOULDER HARNESS ASSEMBLY (NEW)
4*		MS24694S50	BOLT
4*		AN960JD10L	WASHER
4*		MS21042L3	NUT
	1	D3572-043	GUIDE ASSY
	1	D3572-044	GUIDE ASSY
1		D3920-041	SEATBELT GUIDE ASSEMBLY
2		D3920-5	SEATBELT GUIDE
1	6	AN4-16A	BOLT
1		AN4-21A	BOLT
7		AN4-25A	BOLT
18	12	AN960JD416	WASHER
9	6	MS21042L4	NUT

* denotes that part is included in assembly above

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: 
D. SHEPHERD (DE # 02)

DATE: 10.03.22
CERT. NO.: SH04-7
ISSUE NO.: 3

DESIGN	92	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
DRAWN	92	
CHECKED	J	DRAWING NO. REV. A
MFG. APPR.	N/A	DSI 9511 SHEET 6 OF 6
APPROVED	149	TITLE SCALE
DE APPR.	149	NEW SHOULDER HARNESS KITS NTS
DATE	10.03.18	<small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>